

Leading Causes of Mortality for 2002						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC						
	Total Population (1066 Total Deaths)			All Other Causes	148	14%
				Myocardial Infarction/Total Cardiovascular	99	9%
				Congestive Heart Failure	98	9%
				Respiratory Failure	82	8%
				Pneumonia	73	7%
				Cancer- Other Sites	65	6%
				Cardio-Pulmonary Arrest	61	6%
				Cancer - Respiratory Systems	52	5%
				Septic Shock/Sepsis/Septicemia	41	4%
				Cerebrovascular Disease	37	3%
	White (921 Total Deaths)			All Other Causes	127	14%
				Congestive Heart Failure	94	10%
				Myocardial Infarction/Total Cardiovascular	87	9%
				Respiratory Failure	73	8%
				Pneumonia	64	7%
				Cancer - Other Sites	55	6%
				Cardio-Pulmonary Arrest	52	6%
				Cancer - Respiratory Systems	42	5%
				Septic Shock/Sepsis/Septicemia	36	4%
				Alzheimer's	28	3%
				Cerebrovascular Disease	28	3%
	Black (110 Total Deaths)			All Other Causes	14	13%
				Cancer - Respiratory Systems	9	8%
				Myocardial Infarction/Total Cardiovascular	9	8%
				Cardio-Pulmonary Arrest	8	7%
				Extreme Prematurity	8	7%
				Respiratory Failure	8	7%
				Cancer - Other Sites	7	6%
				Cerebrovascular Disease	6	5%
				Pneumonia	6	5%
				Cancer - Digestive Organs	4	4%
				Renal Failure	4	4%
	Asian/PI (5 Total Deaths)			Myocardial Infarction/Total Cardiovascular	2	40%
				All Other Causes	1	20%
				Cancer - Other Sites	1	20%
				Cerebrovascular Disease	1	20%
		Ages 0-4 (20 Total Deaths)		Extreme Prematurity	13	65%
				All Other Causes	4	20%
				Respiratory Failure	2	10%
				Pneumonia	1	5%
		Ages 5-14 (5 Total Deaths)		All Other Causes	2	40%
				Automobile Accident	1	20%
				Homicide	1	20%
				Pneumonia	1	20%
		Ages 15-24 (14 Total Deaths)		Automobile Accident	6	43%
				Homicide	3	22%
				Pneumonia	2	14%
				All Other Causes	1	7%
				Other Accidents	1	7%
				Respiratory Failure	1	7%

Leading Causes of Mortality for 2002							
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths	
CC		Ages 25-44 (57 Total Deaths)		All Other Causes	13	23%	
				Automobile Accident	7	12%	
				Other Accidents	5	9%	
				Suicide	5	9%	
				Cancer - Other Sites	4	7%	
				Respiratory Failure	4	7%	
				Cancer - Respiratory Systems	3	5%	
				Myocardial Infarction/Total Cardiovascular	3	5%	
				Septic Shock/Sepsis/Septicemia	3	5%	
			Ages 45-64 (179 Total Deaths)		All Other Causes	29	16%
					Myocardial Infarction/Total Cardiovascular	19	11%
					Cancer - Other Sites	13	7%
					Cancer - Respiratory Systems	12	7%
					Breast Cancer	10	6%
					Respiratory Failure	10	6%
					Colon Cancer	9	5%
					Congestive Heart Failure	9	5%
					Cardio-Pulmonary Arrest	8	4%
					Pneumonia	7	4%
					Septic Shock/Sepsis/Septicemia	7	4%
			Ages 65+ (791 Total Deaths)		All Other Causes	108	14%
					Congestive Heart Failure	87	11%
					Myocardial Infarction/Total Cardiovascular	77	10%
					Respiratory Failure	65	8%
					Pneumonia	62	8%
					Cardio-Pulmonary Arrest	52	7%
					Cancer - Other Sites	48	6%
					Cancer - Respiratory Systems	36	5%
					Cerebrovascular Disease	33	4%
					Septic Shock/Sepsis/Septicemia	31	4%
				Male (478 Total Deaths)	Myocardial Infarction/Total Cardiovascular	61	13%
					All Other Causes	58	12%
					Respiratory Failure	42	9%
				Cancer - Other Sites	39	8%	
				Congestive Heart Failure	33	7%	
				Pneumonia	31	6%	
				Cancer - Respiratory Systems	30	6%	
				Cardio-Pulmonary Arrest	22	5%	
				Septic Shock/Sepsis/Septicemia	15	3%	
				Colon Cancer	12	3%	
				Other Accidents	12	3%	
			Female (586 Total Deaths)	All Other Causes	90	15%	
				Congestive Heart Failure	64	11%	
				Respiratory Failure	42	7%	
				Pneumonia	40	7%	
				Cardio-Pulmonary Arrest	39	7%	
				Myocardial Infarction/Total Cardiovascular	38	6%	
				Cancer - Other Sites	26	4%	
				Septic Shock/Sepsis/Septicemia	26	4%	
				Cerebrovascular Disease	25	4%	
				Breast Cancer	22	4%	
				Cancer - Respiratory Systems	22	4%	

Leading Causes of Mortality for 2002							
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths	
CU	Total Population (695 Total Deaths)			All Other Causes	98	14%	
				Congestive Heart Failure	63	9%	
				Myocardial Infarction/Total Cardiovascular	61	9%	
				Respiratory Failure	49	7%	
				Pneumonia	47	7%	
				Cardio-Pulmonary Arrest	43	6%	
				Cancer - Other Sites	39	6%	
				Cancer - Respiratory Systems	37	6%	
				Cerebrovascular Disease	29	4%	
				Septic Shock/Sepsis/Septicemia	28	4%	
		White (575 Total Deaths)			All Other Causes	80	14%
					Congestive Heart Failure	61	11%
					Myocardial Infarction/Total Cardiovascular	50	9%
					Respiratory Failure	43	7%
					Pneumonia	40	7%
					Cardio-Pulmonary Arrest	34	6%
					Cancer - Other Sites	32	6%
					Cancer - Respiratory Systems	29	5%
					Alzheimer's	23	4%
					Septic Shock/Sepsis/Septicemia	23	4%
		Black (95 Total Deaths)			All Other Causes	15	16%
					Myocardial Infarction/Total Cardiovascular	9	9%
					Cancer - Respiratory Systems	8	8%
					Cardio-Pulmonary Arrest	8	8%
					Cancer - Other Sites	6	6%
					Cerebrovascular Disease	6	6%
					Respiratory Failure	6	6%
					Pneumonia	5	5%
					Cancer - Digestive Organs	4	4%
				Extreme Prematurity	4	4%	
	Asian/PI (4 Total Deaths)			Myocardial Infarction/Total Cardiovascular	2	50%	
				All Other Causes	1	25%	
				Cerebrovascular Disease	1	25%	
		Ages 0-4 (15 Total Deaths)		Extreme Prematurity	9	60%	
				All Other Causes	4	27%	
				Pneumonia	1	7%	
				Respiratory Failure	1	7%	
		Ages 5-14 (3 Total Deaths)		All Other Causes	1	33%	
				Homicide	1	33%	
				Pneumonia	1	33%	
		Ages 15-24 (8 Total Deaths)		Homicide	3	38%	
				Automobile Accident	2	25%	
				All Other Causes	1	12%	
				Other Accidents	1	12%	
				Pneumonia	1	12%	
		Ages 25-44 (43 Total Deaths)		All Other Causes	12	28%	
				Other Accidents	4	9%	
				Automobile Accident	3	7%	
				Cancer - Respiratory Systems	3	7%	
				Myocardial Infarction/Total Cardiovascular	3	7%	
				Respiratory Failure	3	7%	

Leading Causes of Mortality for 2002						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
				Suicide	3	7%
				Cancer - Other Sites	2	5%
				Septic Shock/Sepsis/Septicemia	2	5%
CU		Ages 45-64 (105 Total Deaths)		All Other Causes	16	15%
				Cancer - Respiratory Systems	9	9%
				Myocardial Infarction/Total Cardiovascular	8	8%
				Cancer - Other Sites	7	7%
				Congestive Heart Failure	7	7%
				Respiratory Failure	7	7%
				Cardio-Pulmonary Arrest	6	6%
				Colon Cancer	6	6%
				Suicide	5	5%
				Breast Cancer	4	4%
				Pneumonia	4	4%
		Ages 65+ (521 Total Deaths)		All Other Causes	64	12%
				Congestive Heart Failure	55	11%
				Myocardial Infarction/Total Cardiovascular	50	10%
				Pneumonia	40	8%
				Respiratory Failure	40	8%
				Cardio-Pulmonary Arrest	36	7%
				Cancer - Other Sites	29	6%
				Cerebrovascular Disease	26	5%
				Alzheimer's	24	5%
				Septic Shock/Sepsis/Septicemia	24	5%
			Male (307 Total Deaths)	Myocardial Infarction/Total Cardiovascular	38	12%
				All Other Causes	37	12%
				Respiratory Failure	26	8%
				Pneumonia	22	7%
				Cancer - Respiratory Systems	21	7%
				Cancer - Other Sites	19	6%
				Cardio-Pulmonary Arrest	17	6%
				Congestive Heart Failure	16	5%
				Cerebrovascular Disease	10	3%
				Septic Shock/Sepsis/Septicemia	10	3%
				Other Accidents	8	3%
				Suicide	8	3%
			Female (387 Total Deaths)	All Other Causes	56	14%
				Congestive Heart Failure	47	12%
				Cardio-Pulmonary Arrest	26	7%
				Pneumonia	25	6%
				Myocardial Infarction/Total Cardiovascular	23	6%
				Respiratory Failure	23	6%
				Cancer - Other Sites	20	5%
				Cerebrovascular Disease	18	5%
				Septic Shock/Sepsis/Septicemia	18	5%
				Alzheimer's	17	4%

Leading Causes of Mortality for 2002						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC-CU						
	Total Population					
	(371 Total Deaths)			All Other Causes	50	13%
				Myocardial Infarction/Total Cardiovascular	38	10%
				Congestive Heart Failure	35	9%
				Respiratory Failure	33	9%
				Cancer - Other Sites	26	7%
				Pneumonia	26	7%
				Cardio-Pulmonary Arrest	18	5%
				Cancer - Respiratory Systems	15	4%
				Septic Shock/Sepsis/Septicemia	13	4%
				Breast Cancer	12	3%
	White					
	(346 Total Deaths)			All Other Causes	47	14%
				Myocardial Infarction/Total Cardiovascular	37	11%
				Congestive Heart Failure	33	10%
				Respiratory Failure	30	9%
				Pneumonia	24	7%
				Cancer - Other Sites	23	7%
				Cardio-Pulmonary Arrest	18	5%
				Cancer - Respiratory Systems	13	4%
				Septic Shock/Sepsis/Septicemia	13	4%
				Breast Cancer	10	3%
	Black					
	(15 Total Deaths)			Extreme Prematurity	4	27%
				Automobile Accident	2	13%
				Respiratory Failure	2	13%
				All Other Causes	1	7%
				Breast Cancer	1	7%
				Cancer - Other Sites	1	7%
				Cancer - Respiratory Systems	1	7%
				Other Accidents	1	7%
				Pneumonia	1	7%
				Renal Failure	1	7%
	Asian/PI					
	(1 Total Death)			Cancer - Other Sites	1	100%
		Ages 0-4				
		(5 Total Deaths)		Extreme Prematurity	4	80%
				Respiratory Failure	1	20%
		Ages 5-14				
		(2 Total Deaths)		Automobile Accident	1	50%
				All Other Causes	1	50%
		Ages 15-24				
		(6 Total Deaths)		Automobile Accident	4	67%
				Pneumonia	1	17%
				Respiratory Failure	1	17%
		Ages 25-44				
		(14 Total Deaths)		Automobile Accident	4	29%
				Cancer - Other Sites	2	14%
				Suicide	2	14%
				All Other Causes	1	7%
				Breast Cancer	1	7%
				Congestive Heart Failure	1	7%
				Other Accidents	1	7%
				Respiratory Failure	1	7%
				Septic Shock/Sepsis/Septicemia	1	7%

Leading Causes of Mortality for 2002						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC-CU		Ages 45-64 (74 Total Deaths)		All Other Causes	13	78%
				Myocardial Infarction/Total Cardiovascular	11	15%
				Breast Cancer	6	8%
				Cancer - Other Sites	6	8%
				Septic Shock/Sepsis/Septicemia	5	7%
				Cancer - Respiratory Systems	3	4%
				Colon Cancer	3	4%
				Pneumonia	3	4%
				Respiratory Failure	3	4%
		Ages 65+ (270 Total Deaths)		All Other Causes	44	16%
				Congestive Heart Failure	32	12%
				Myocardial Infarction/Total Cardiovascular	27	10%
				Respiratory Failure	25	9%
				Pneumonia	22	8%
				Cancer - Other Sites	19	7%
				Cardio-Pulmonary Arrest	16	6%
				Cancer - Respiratory Systems	13	5%
				Renal Failure	9	3%
				Cerebrovascular Disease	7	3%
				Chronic Obstruction Pulmonary Disease	7	3%
				Coronary Heart Disease	7	3%
				Septic Shock/Sepsis/Septicemia	7	3%
			Male (171 Total Deaths)	Myocardial Infarction/Total Cardiovascular	23	13%
				All Other Causes	21	12%
				Cancer - Other Sites	20	12%
				Congestive Heart Failure	17	10%
				Respiratory Failure	16	9%
				Cancer - Respiratory Systems	9	5%
				Pneumonia	9	5%
				Cardio-Pulmonary Arrest	5	3%
				Chronic Obstruction Pulmonary Disease	5	3%
				Colon Cancer	5	3%
				Coronary Heart Disease	5	3%
				Septic Shock/Sepsis/Septicemia	5	3%
			Female (199 Total Deaths)	All Other Causes	34	17%
				Respiratory Failure	19	10%
				Congestive Heart Failure	17	9%
				Myocardial Infarction/Total Cardiovascular	15	8%
				Pneumonia	15	8%
				Cardio-Pulmonary Arrest	13	7%
				Breast Cancer	12	6%
				Septic Shock/Sepsis/Septicemia	8	4%
				Automobile Accident	7	4%
				Cerebrovascular Disease	7	4%