

Leading Causes of Mortality for 2003						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC						
	Total Population (1106 Total Deaths)			All Other Causes	157	14%
				Myocardial Infarction/Total Cardiovascular	113	10%
				Congestive Heart Failure	93	8%
				Lung Cancer	72	7%
				Cardio-Pulmonary Arrest	64	6%
				Respiratory Failure	64	6%
				Pneumonia	54	5%
				Septic Shock/Sepsis/Septicemia	50	5%
				Renal Failure	45	4%
				Cerebrovascular Disease	41	4%
	White (975 Total Deaths)			All Other Causes	135	14%
				Myocardial Infarction/Total Cardiovascular	98	10%
				Congestive Heart Failure	82	8%
				Respiratory Failure	62	6%
				Lung Cancer	59	6%
				Cardio-Pulmonary Arrest	55	6%
				Pneumonia	51	5%
				Septic Shock/Sepsis/Septicemia	47	5%
				Renal Failure	38	4%
				Cerebrovascular Disease	37	4%
	Black (118 Total Deaths)			All Other Causes	20	17%
				Myocardial Infarction/Total Cardiovascular	14	12%
				Lung Cancer	12	10%
				Congestive Heart Failure	11	9%
				Cardio-Pulmonary Arrest	9	8%
				Renal Failure	7	6%
				Cerebrovascular Disease	4	3%
				Colon Cancer	4	3%
				Homicide	3	3%
				Leukemia & Aleukemia	3	3%
				Pneumonia	3	3%
				Pulmonary Embolism	3	3%
				Septic Shock/Sepsis/Septicemia	3	3%
	Asian/PI (8 Total Deaths)			Cancer - Digestive Organs	3	37.5%
				All Other Causes	1	12.5%
				Lung Cancer	1	12.5%
				Diabetes Mellitus	1	12.5%
				Extreme Prematurity	1	12.5%
				Suicide	1	12.5%
		Ages 0-4 (7 Total Deaths)		Extreme Prematurity	5	72%
				Pneumonia	1	14%
				All Other Causes	1	14%
		Ages 5-14 (2 Total Deaths)		Other Accidents	2	100%
		Ages 15-24 (10 Total Deaths)		Homicide	4	40%
				Automobile Accident	3	30%
				Suicide	1	10%
				All Other Causes	1	10%
				Respiratory Failure	1	10%

Leading Causes of Mortality for 2003							
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths	
CC		Ages 25-44 (53 Total Deaths)		All Other Causes	9	17%	
				Other Accidents	8	15%	
				Suicide	7	13%	
				Automobile Accidents	3	6%	
				Myocardial Infarction/Total Cardiovascular	3	6%	
				Respiratory Failure	3	6%	
				Breast Cancer	2	4%	
				Cardio-Pulmonary Arrest	2	4%	
				Cirrhosis of Liver	2	4%	
				Diabetes Mellitus	2	4%	
				Homicide	2	4%	
				Lip, Oral Cavity & Pharynx Cancer	2	4%	
			Ages 45-64 (179 Total Deaths)		All Other Causes	25	14%
					Lung Cancer	19	11%
					Myocardial Infarction/Total Cardiovascular	19	11%
					Breast Cancer	9	5%
					Colon Cancer	9	5%
					Cardio-Pulmonary Arrest	7	4%
					Cancer - Other Sites	7	4%
					Respiratory Failure	7	4%
					Septic Shock/Sepsis/Septicemia	7	4%
					Automobile Accident	6	3%
			Ages 65+ (855 Total Deaths)		All Other Causes	129	15%
					Myocardial Infarction/Total Cardiovascular	91	11%
					Congestive Heart Failure	88	10%
					Cardio-Pulmonary Arrest	55	6%
					Respiratory Failure	53	6%
					Lung Cancer	53	6%
					Pneumonia	48	6%
					Septic Shock/Sepsis/Septicemia	43	5%
					Renal Failure	41	5%
					Cerebrovascular Disease	39	5%
				Male (485 Total Deaths)	All Other Causes	59	12%
					Myocardial Infarction/Total Cardiovascular	51	11%
					Lung Cancer	40	8%
					Congestive Heart Failure	34	7%
					Respiratory Failure	27	6%
					Cancer - Other Sites	23	5%
					Septic Shock/Sepsis/Septicemia	23	5%
					Cardio-Pulmonary Arrest	22	5%
					Pneumonia	21	4%
					Renal Failure	19	4%
			Female (621 Total Deaths)	All Other Causes	98	16%	
				Myocardial Infarction/Total Cardiovascular	62	10%	
				Congestive Heart Failure	59	10%	
				Cardio-Pulmonary Arrest	42	7%	
				Respiratory Failure	37	6%	
				Pneumonia	33	5%	
				Lung Cancer	32	5%	
				Cerebrovascular Disease	30	5%	
				Septic Shock/Sepsis/Septicemia	27	4%	
				Renal Failure	26	4%	

Leading Causes of Mortality for 2003							
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths	
CU	Total Population (678 Total Deaths)			All Other Causes	100	15%	
				Myocardial Infarction/Total Cardiovascular	64	9%	
				Congestive Heart Failure	54	8%	
				Cardio-Pulmonary Arrest	47	7%	
				Respiratory Failure	43	6%	
				Lung Cancer	37	5%	
				Pneumonia	36	5%	
				Cerebrovascular Disease	32	5%	
				Renal Failure	31	5%	
				Septic Shock/Sepsis/Septicemia	30	4%	
		White (568 Total Deaths)			All Other Causes	82	14%
				Myocardial Infarction/Total Cardiovascular	53	9%	
				Congestive Heart Failure	44	8%	
				Respiratory Failure	41	7%	
				Cardio-Pulmonary Arrest	38	7%	
				Pneumonia	33	6%	
				Septic Shock/Sepsis/Septicemia	29	5%	
				Cerebrovascular Disease	28	5%	
				Lung Cancer	26	5%	
				Renal Failure	26	5%	
		Black (103 Total Deaths)			All Other Causes	17	17%
				Myocardial Infarction/Total Cardiovascular	11	11%	
				Congestive Heart Failure	10	10%	
				Lung Cancer	10	10%	
				Cardio-Pulmonary Arrest	9	9%	
				Renal Failure	5	5%	
				Cerebrovascular Disease	4	4%	
				Colon Cancer	4	4%	
				Homicide	3	3%	
			Leukemia/Aleukemia	3	3%		
		Pneumonia	3	3%			
	Asian/PI (7 Total Deaths)			Cancer - Digestive Organs	3	43%	
				All Other Causes	1	14%	
				Extreme Prematurity	1	14%	
				Lung Cancer	1	14%	
				Suicide	1	14%	
		Ages 0-4 (7 Total Deaths)		Extreme Prematurity	5	72%	
				All Other Causes	1	14%	
				Pneumonia	1	14%	
		Ages 5-14 (2 Total Deaths)		Other Accidents	2	100%	
		Ages 15-24 (7 Total Deaths)		All Other Causes	2	29%	
				Homicide	2	29%	
				Automobile Accident	1	14%	
				Respiratory Failure	1	14%	
				Suicide	1	14%	

Leading Causes of Mortality for 2003							
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths	
CU		Ages 25-44 (28 Total Deaths)		All Other Causes	5	18%	
				Suicide	5	18%	
				Other Accidents	3	11%	
				Breast Cancer	2	7%	
				Respiratory Failure	2	7%	
				Cardio-Pulmonary Arrest	1	3.5%	
				Coronary Heart Disease	1	3.5%	
				Diabetes Mellitus	1	3.5%	
				HIV	1	3.5%	
				Homicide	1	3.5%	
				Leukemia/Aleukemia	1	3.5%	
				Lip, Oral Cavity & Pharynx Cancer	1	3.5%	
				Myocardial Infarction/Total Cardiovascular	1	3.5%	
				Non-Hodgkins Lymphoma	1	3.5%	
				Pneumonia	1	3.5%	
				Pulmonary Embolism	1	3.5%	
			Ages 45-64 (99 Total Deaths)		All Other Causes	14	14%
					Myocardial Infarction/Total Cardiovascular	9	9%
					Lung Cancer	8	8%
					Cardio-Pulmonary Arrest	5	5%
					Breast Cancer	4	4%
					Chronic Obstruction Pulmonary Disease	4	4%
					Cirrhosis of Liver	4	4%
					Colon Cancer	4	4%
					Pneumonia	4	4%
					Respiratory Failure	4	4%
					Septic Shock/Sepsis/Septicemia	4	4%
			Ages 65+ (535 Total Deaths)		All Other Causes	83	16%
					Myocardial Infarction/Total Cardiovascular	54	10%
					Congestive Heart Failure	52	10%
					Cardio-Pulmonary Arrest	41	8%
					Respiratory Failure	36	7%
					Cerebrovascular Disease	30	6%
					Pneumonia	30	6%
					Lung Cancer	29	5%
				Renal Failure	28	5%	
				Septic Shock/Sepsis/Septicemia	28	5%	
			Male (277 Total Deaths)	All Other Causes	35	13%	
				Myocardial Infarction/Total Cardiovascular	27	10%	
				Lung Cancer	22	8%	
				Congestive Heart Failure	18	6%	
				Cardio-Pulmonary Arrest	17	6%	
				Respiratory Failure	17	6%	
				Pneumonia	15	5%	
				Septic Shock/Sepsis/Septicemia	14	5%	
				Cancer- Other Sites	12	4%	
				Coronary Heart Disease	12	4%	
			Female (401 Total Deaths)	All Other Causes	65	16%	
				Myocardial Infarction/Total Cardiovascular	37	9%	
				Congestive Heart Failure	36	9%	
				Cardio-Pulmonary Arrest	30	7%	
				Respiratory Failure	26	6%	
				Cerebrovascular Disease	22	5%	
				Pneumonia	21	5%	
				Renal Failure	21	5%	
				Septic Shock/Sepsis/Septicemia	16	4%	
				Lung Cancer	15	4%	

Leading Causes of Mortality for 2003						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC-CU						
	Total Population					
	(428 Total Deaths)			All Other Causes	57	13%
				Myocardial Infarction/Total Cardiovascular	49	11%
				Congestive Heart Failure	39	9%
				Lung Cancer	35	8%
				Respiratory Failure	21	5%
				Septic Shock/Sepsis/Septicemia	20	5%
				Pneumonia	18	4%
				Cardio-Pulmonary Arrest	17	4%
				Cancer - Other Sites	14	3%
				Renal Failure	14	3%
	White					
	(407 Total Deaths)			All Other Causes	53	13%
				Myocardial Infarction/Total Cardiovascular	45	11%
				Congestive Heart Failure	38	9%
				Lung Cancer	33	8%
				Respiratory Failure	21	5%
				Pneumonia	18	4%
				Septic Shock/Sepsis/Septicemia	18	4%
				Cardio-Pulmonary Arrest	17	4%
				Cancer - Other Sites	14	3%
				Cancer - Digestive Organs	12	3%
				Renal Failure	12	3%
	Black					
	(15 Total Deaths)			All Other Causes	3	20%
				Myocardial Infarction/Total Cardiovascular	3	20%
				Lung Cancer	2	13%
				Renal Failure	2	13%
				Septic Shock/Sepsis/Septicemia	2	13%
				Coronary Heart Disease	1	7%
				Congestive Heart Failure	1	7%
				Pulmonary Embolism	1	7%
	Asian/PI					
	(1 Total Death)			Diabetes Mellitus	1	100%
		Ages 0-4				
		(0 Total Deaths)				
		Ages 5-14				
		(0 Total Deaths)				
		Ages 15-24				
		(3 Total Deaths)		Automobile Accident	2	67%
				Homicide	1	33%
		Ages 25-44				
		(25 Total Deaths)		All Other Causes	5	20%
				Other Accidents	5	20%
				Automobile Accidents	3	12%
				Cirrhosis of Liver	2	8%
				Myocardial Infarction/Total Cardiovascular	2	8%
				Suicide	2	8%
				Cancer - Lip, Oral Cavity & Pharynx	1	4%
				Cardio-Pulmonary Arrest	1	4%
				Colon Cancer	1	4%
				Diabetes Mellitus	1	4%
				Homicide	1	4%
				Respiratory Failure	1	4%

Leading Causes of Mortality for 2003						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC-CU		Ages 45-64 (80 Total Deaths)				
				All Other Causes	11	14%
				Lung Cancer	11	14%
				Myocardial Infarction/Total Cardiovascular	10	13%
				Colon Cancer	5	6%
				Breast Cancer	5	6%
				Automobile Accident	4	5%
				Cancer - Other Sites	4	5%
				Cancer - Lip, Oral Cavity & Pharynx	3	4%
				Congestive Heart Failure	3	4%
				Respiratory Failure	3	4%
				Septic Shock/Sepsis/Septicemia	3	4%
		Ages 65+ (320 Total Deaths)				
				All Other Causes	46	14%
				Myocardial Infarction/Total Cardiovascular	37	12%
				Congestive Heart Failure	36	11%
				Lung Cancer	24	8%
				Pneumonia	18	6%
				Respiratory Failure	17	5%
				Septic Shock/Sepsis/Septicemia	15	5%
				Cardio-Pulmonary Arrest	14	4%
				Renal Failure	13	4%
				Cancer - Digestive Organs	10	3%
				Cancer - Other Sites	10	3%
				Coronary Heart Disease	10	3%
			Male (208 Total Deaths)			
				All Other Causes	24	12%
				Myocardial Infarction/Total Cardiovascular	24	12%
				Lung Cancer	18	9%
				Congestive Heart Failure	16	8%
				Cancer - Other Sites	11	5%
				Respiratory Failure	10	5%
				Renal Failure	9	4%
				Septic Shock/Sepsis/Septicemia	9	4%
				Automobile Accident	8	4%
				Other Accidents	8	4%
			Female (220 Total Deaths)			
				All Other Causes	33	15%
				Myocardial Infarction/Total Cardiovascular	25	11%
				Congestive Heart Failure	23	10%
				Lung Cancer	17	8%
				Cardio-Pulmonary Arrest	12	5%
				Pneumonia	12	5%
				Respiratory Failure	11	5%
				Septic Shock/Sepsis/Septicemia	11	5%
				Cerebrovascular Disease	8	4%
				Breast Cancer	7	3%