

Leading Causes of Mortality for 2003						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC						
	Total Population (1106 Total Deaths)			All Other Causes	157	14%
				Myocardial Infarction/Total Cardiovascular	113	10%
				Congestive Heart Failure	93	8%
				Lung Cancer	72	7%
				Cardio-Pulmonary Arrest	64	6%
				Respiratory Failure	64	6%
				Pneumonia	54	5%
				Septic Shock/Sepsis/Septicemia	50	5%
				Renal Failure	45	4%
				Cerebrovascular Disease	41	4%
	White (975 Total Deaths)			All Other Causes	135	14%
				Myocardial Infarction/Total Cardiovascular	98	10%
				Congestive Heart Failure	82	8%
				Respiratory Failure	62	6%
				Lung Cancer	59	6%
				Cardio-Pulmonary Arrest	55	6%
				Pneumonia	51	5%
				Septic Shock/Sepsis/Septicemia	47	5%
				Renal Failure	38	4%
				Cerebrovascular Disease	37	4%
	Black (118 Total Deaths)			All Other Causes	20	17%
				Myocardial Infarction/Total Cardiovascular	14	12%
				Lung Cancer	12	10%
				Congestive Heart Failure	11	9%
				Cardio-Pulmonary Arrest	9	8%
				Renal Failure	7	6%
				Cerebrovascular Disease	4	3%
				Colon Cancer	4	3%
				Homicide	3	3%
				Leukemia & Aleukemia	3	3%
				Pneumonia	3	3%
				Pulmonary Embolism	3	3%
				Septic Shock/Sepsis/Septicemia	3	3%
	Asian/PI (8 Total Deaths)			Cancer - Digestive Organs	3	37.5%
				All Other Causes	1	12.5%
				Lung Cancer	1	12.5%
				Diabetes Mellitus	1	12.5%
				Extreme Prematurity	1	12.5%
				Suicide	1	12.5%
		Ages 0-4 (7 Total Deaths)		Extreme Prematurity	5	72%
				Pneumonia	1	14%
				All Other Causes	1	14%
		Ages 5-14 (2 Total Deaths)		Other Accidents	2	100%
		Ages 15-24 (10 Total Deaths)		Homicide	4	40%
				Automobile Accident	3	30%
				Suicide	1	10%
				All Other Causes	1	10%
				Respiratory Failure	1	10%

Leading Causes of Mortality for 2003							
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths	
CC		Ages 25-44 (53 Total Deaths)		All Other Causes	9	17%	
				Other Accidents	8	15%	
				Suicide	7	13%	
				Automobile Accidents	3	6%	
				Myocardial Infarction/Total Cardiovascular	3	6%	
				Respiratory Failure	3	6%	
				Breast Cancer	2	4%	
				Cardio-Pulmonary Arrest	2	4%	
				Cirrhosis of Liver	2	4%	
				Diabetes Mellitus	2	4%	
				Homicide	2	4%	
				Lip, Oral Cavity & Pharynx Cancer	2	4%	
			Ages 45-64 (179 Total Deaths)		All Other Causes	25	14%
					Lung Cancer	19	11%
					Myocardial Infarction/Total Cardiovascular	19	11%
					Breast Cancer	9	5%
					Colon Cancer	9	5%
					Cardio-Pulmonary Arrest	7	4%
					Cancer - Other Sites	7	4%
					Respiratory Failure	7	4%
					Septic Shock/Sepsis/Septicemia	7	4%
					Automobile Accident	6	3%
			Ages 65+ (855 Total Deaths)		All Other Causes	129	15%
					Myocardial Infarction/Total Cardiovascular	91	11%
					Congestive Heart Failure	88	10%
					Cardio-Pulmonary Arrest	55	6%
					Respiratory Failure	53	6%
					Lung Cancer	53	6%
					Pneumonia	48	6%
					Septic Shock/Sepsis/Septicemia	43	5%
					Renal Failure	41	5%
					Cerebrovascular Disease	39	5%
				Male (485 Total Deaths)	All Other Causes	59	12%
					Myocardial Infarction/Total Cardiovascular	51	11%
					Lung Cancer	40	8%
					Congestive Heart Failure	34	7%
					Respiratory Failure	27	6%
					Cancer - Other Sites	23	5%
					Septic Shock/Sepsis/Septicemia	23	5%
					Cardio-Pulmonary Arrest	22	5%
					Pneumonia	21	4%
					Renal Failure	19	4%
			Female (621 Total Deaths)	All Other Causes	98	16%	
				Myocardial Infarction/Total Cardiovascular	62	10%	
				Congestive Heart Failure	59	10%	
				Cardio-Pulmonary Arrest	42	7%	
				Respiratory Failure	37	6%	
				Pneumonia	33	5%	
				Lung Cancer	32	5%	
				Cerebrovascular Disease	30	5%	
				Septic Shock/Sepsis/Septicemia	27	4%	
				Renal Failure	26	4%	

Leading Causes of Mortality for 2003						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CU	Total Population (678 Total Deaths)			All Other Causes	100	15%
				Myocardial Infarction/Total Cardiovascular	64	9%
				Congestive Heart Failure	54	8%
				Cardio-Pulmonary Arrest	47	7%
				Respiratory Failure	43	6%
				Lung Cancer	37	5%
				Pneumonia	36	5%
				Cerebrovascular Disease	32	5%
				Renal Failure	31	5%
				Septic Shock/Sepsis/Septicemia	30	4%
White (568 Total Deaths)				All Other Causes	82	14%
				Myocardial Infarction/Total Cardiovascular	53	9%
				Congestive Heart Failure	44	8%
				Respiratory Failure	41	7%
				Cardio-Pulmonary Arrest	38	7%
				Pneumonia	33	6%
				Septic Shock/Sepsis/Septicemia	29	5%
				Cerebrovascular Disease	28	5%
				Lung Cancer	26	5%
				Renal Failure	26	5%
Black (103 Total Deaths)				All Other Causes	17	17%
				Myocardial Infarction/Total Cardiovascular	11	11%
				Congestive Heart Failure	10	10%
				Lung Cancer	10	10%
				Cardio-Pulmonary Arrest	9	9%
				Renal Failure	5	5%
				Cerebrovascular Disease	4	4%
				Colon Cancer	4	4%
				Homicide	3	3%
				Leukemia/Aleukemia	3	3%
Pneumonia	3	3%				
Asian/PI (7 Total Deaths)				Cancer - Digestive Organs	3	43%
				All Other Causes	1	14%
				Extreme Prematurity	1	14%
				Lung Cancer	1	14%
				Suicide	1	14%
Ages 0-4 (7 Total Deaths)				Extreme Prematurity	5	72%
				All Other Causes	1	14%
				Pneumonia	1	14%
Ages 5-14 (2 Total Deaths)				Other Accidents	2	100%
Ages 15-24 (7 Total Deaths)				All Other Causes	2	29%
				Homicide	2	29%
				Automobile Accident	1	14%
				Respiratory Failure	1	14%
				Suicide	1	14%

Leading Causes of Mortality for 2003

Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CU		Ages 25-44 (28 Total Deaths)		All Other Causes	5	18%
			Suicide	5	18%	
			Other Accidents	3	11%	
			Breast Cancer	2	7%	
			Respiratory Failure	2	7%	
			Cardio-Pulmonary Arrest	1	3.5%	
			Coronary Heart Disease	1	3.5%	
			Diabetes Mellitus	1	3.5%	
			HIV	1	3.5%	
			Homicide	1	3.5%	
			Leukemia/Aleukemia	1	3.5%	
			Lip, Oral Cavity & Pharynx Cancer	1	3.5%	
			Myocardial Infarction/Total Cardiovascular	1	3.5%	
			Non-Hodgkins Lymphoma	1	3.5%	
			Pneumonia	1	3.5%	
		Pulmonary Embolism	1	3.5%		
		Ages 45-64 (99 Total Deaths)		All Other Causes	14	14%
			Myocardial Infarction/Total Cardiovascular	9	9%	
			Lung Cancer	8	8%	
			Cardio-Pulmonary Arrest	5	5%	
			Breast Cancer	4	4%	
			Chronic Obstruction Pulmonary Disease	4	4%	
			Cirrhosis of Liver	4	4%	
			Colon Cancer	4	4%	
			Pneumonia	4	4%	
			Respiratory Failure	4	4%	
		Septic Shock/Sepsis/Septicemia	4	4%		
		Ages 65+ (535 Total Deaths)		All Other Causes	83	16%
			Myocardial Infarction/Total Cardiovascular	54	10%	
			Congestive Heart Failure	52	10%	
			Cardio-Pulmonary Arrest	41	8%	
			Respiratory Failure	36	7%	
			Cerebrovascular Disease	30	6%	
			Pneumonia	30	6%	
			Lung Cancer	29	5%	
	Renal Failure		28	5%		
	Septic Shock/Sepsis/Septicemia		28	5%		
	Male (277 Total Deaths)		All Other Causes	35	13%	
		Myocardial Infarction/Total Cardiovascular	27	10%		
		Lung Cancer	22	8%		
		Congestive Heart Failure	18	6%		
		Cardio-Pulmonary Arrest	17	6%		
		Respiratory Failure	17	6%		
		Pneumonia	15	5%		
		Septic Shock/Sepsis/Septicemia	14	5%		
	Cancer- Other Sites		12	4%		
		Coronary Heart Disease	12	4%		
	Female (401 Total Deaths)		All Other Causes	65	16%	
		Myocardial Infarction/Total Cardiovascular	37	9%		
		Congestive Heart Failure	36	9%		
		Cardio-Pulmonary Arrest	30	7%		
		Respiratory Failure	26	6%		
		Cerebrovascular Disease	22	5%		
		Pneumonia	21	5%		
		Renal Failure	21	5%		
		Septic Shock/Sepsis/Septicemia	16	4%		
		Lung Cancer	15	4%		

Leading Causes of Mortality for 2003						
Location	Race	Age Group	Sex	Cause	Number of Deaths	Percent of Total Deaths
CC-CU						
	Total Population (428 Total Deaths)			All Other Causes	57	13%
				Myocardial Infarction/Total Cardiovascular	49	11%
				Congestive Heart Failure	39	9%
				Lung Cancer	35	8%
				Respiratory Failure	21	5%
				Septic Shock/Sepsis/Septicemia	20	5%
				Pneumonia	18	4%
				Cardio-Pulmonary Arrest	17	4%
				Cancer - Other Sites	14	3%
				Renal Failure	14	3%
	White (407 Total Deaths)			All Other Causes	53	13%
				Myocardial Infarction/Total Cardiovascular	45	11%
				Congestive Heart Failure	38	9%
				Lung Cancer	33	8%
				Respiratory Failure	21	5%
				Pneumonia	18	4%
				Septic Shock/Sepsis/Septicemia	18	4%
				Cardio-Pulmonary Arrest	17	4%
				Cancer - Other Sites	14	3%
				Cancer - Digestive Organs	12	3%
				Renal Failure	12	3%
	Black (15 Total Deaths)			All Other Causes	3	20%
				Myocardial Infarction/Total Cardiovascular	3	20%
				Lung Cancer	2	13%
				Renal Failure	2	13%
				Septic Shock/Sepsis/Septicemia	2	13%
				Coronary Heart Disease	1	7%
				Congestive Heart Failure	1	7%
				Pulmonary Embolism	1	7%
	Asian/PI (1 Total Death)			Diabetes Mellitus	1	100%
	Ages 0-4 (0 Total Deaths)					
	Ages 5-14 (0 Total Deaths)					
	Ages 15-24 (3 Total Deaths)			Automobile Accident	2	67%
				Homicide	1	33%
	Ages 25-44 (25 Total Deaths)			All Other Causes	5	20%
				Other Accidents	5	20%
				Automobile Accidents	3	12%
				Cirrhosis of Liver	2	8%
				Myocardial Infarction/Total Cardiovascular	2	8%
				Suicide	2	8%
				Cancer - Lip, Oral Cavity & Pharynx	1	4%
				Cardio-Pulmonary Arrest	1	4%
				Colon Cancer	1	4%
				Diabetes Mellitus	1	4%
				Homicide	1	4%
				Respiratory Failure	1	4%

